

MINI HANDSFREE 2-WIRE WI-FI
ANSWER EVERYWHERE,
IT ONLY TAKES A MOMENT.



 **Comelit®**
Passion. Technology. Design.



Instant connection with your home.

MINI Wi-Fi is the revolutionary 2-wire door entry monitor from Comelit, the only product which offers the many advantages of Wi-Fi connectivity simply by replacing the door entry monitor and without changing anything else in your system. Thanks to the free Comelit app, MINI Wi-Fi can actually be used to directly manage incoming video entry phone calls via your smartphone, as well as activating all the functions connected to the 2-wire system installed in the home or office, from wherever you are.



Comelit App

The Comelit App allows remote management of video entry phone systems via a smartphone or tablet connected to 3G (or more advanced) and Wi-Fi networks. It is available without charge for iOS and Android devices.



- ANSWER FROM WHEREVER YOU ARE

Answer the video door phone call wherever you are, you can open the gate or the door to the courier to let you leave the package safe when you're not at home.

- MANAGE CAMERAS

Live images from CCTV cameras or entrance panels.

- MANAGE ACTUATORS

Controls lights, gates or barriers.

- VIEW RECORDED CLIPS

You can view the video of 10s recorded by the app in case of missed call to you always know who has tried to reach you.

- SAVE BATTERY AND DATA

Activation only occurs when a call is received.

- EASY AND FAST CONFIGURATION

Configure the app in a few simple steps without accessing the router configuration.



Note: some features depend on the type of installation and configuration of the device.



Simple and
instant installation.



Click.



With Comelit no additional power supply unit required.

Replacing an old door entry monitor to benefit from all the advantages offered by Wi-Fi technology is no longer problematic: In fact, MINI Wi-Fi is compatible with all types of Comelit 2-wire colour video entry phone system and does not require any additional masonry work, allowing management of all functions without having to resort to installing additional power supply units.

Clack.


Done.



★
PATENT
PENDING
★




Why choose it?



Because it is a product by Comelit, an international company whose name is a guarantee of quality.

Established in 1956, Comelit is an industrial company operating on a worldwide scale; its constant innovation finds an outlet in the design of solutions dedicated to improving the quality of everyday life by maximising simplicity and functionality.



Because it is a concentrated package of pure design.

Comelit products stand out due to their unique and original style, incorporating the most hi-tech materials, simple lines, clean shapes and cutting-edge colours.

D E S I G N
M I L A N O



Because it is a high-end product equipped with user-friendly technology.


Compact dimensions frame a 4.3" colour screen with 16/9 - 480x272 pixel display featuring brightness adjustment. The keypad, with 8 soft-touch buttons, allows you to answer calls or control door opening (with or without LED indication), disable the bell sound and activate the graphical menu, which can be navigated using 4 programmable multifunctional buttons by selecting the various icons and accessing the messages menu quickly.





2-WIRE MINI HANDSFREE WI-FI - 4.3" HANDS-FREE DOOR ENTRY MONITOR, WHITE

6741W



115x160x22 (LxHxD mm)

Installation systems



Technical manual



ACCESSORIES



6711WV ADAPTER PLATE FOR MINI HANDSFREE



6720 BRCKT FOR ROUTING EXT. CABLES. MINI HANDSFREE SIMPLEBUS TOP
Wall support bracket for handsfree Mini monitor allowing thru-routing of external cables. Dimensions: 106.3x149.60x19mm.



6732 DESK BASE FOR MINI HANDSFREE MONITOR SIMPLEBUS TOP
Desk base for desktop conversion of Handsfree Mini monitor. Simplebus top system

FEATURES AND FUNCTIONS

MAIN FEATURES

Audio/video system	Yes
Surface mounting	Yes
Desk base-mounted	Yes
Handsfree	Yes
Induction Loop	Yes (6741W/BM)
Type of display	LCD
Display size (inches)	4.3" 16/9
Graphical menu	Yes
Display resolution (H x V)	480x272
B/W or colour display	Colour
Product colour	White
Sensitive Touch technology	Yes
Number of standard buttons	8
White LED indication	4
Wi-Fi App	Yes
Compatible with Comelit App	Yes

FUNCTIONS

Actuator control	Yes
Self-ignition control	Yes
Switchboard call	Yes
Panic call	Yes
General intercom call	Yes
Selective intercom call	Yes
Call to multiple addresses	Yes
Privacy	Yes
Doctor	Yes
Floor door call	Yes
Electronic ringtone	Yes
Customisable ringtone	Yes

ADJUSTMENTS

Ringtone volume	Yes
Backlighting	Yes

COMPATIBILITY



Simplebus Top audio/video system	Yes
----------------------------------	-----

TECHNICAL CHARACTERISTICS

Power supply voltage	22 ÷ 28
Current consumption in stand-by (mA)	70
Current consumption in call (mA)	180
Current consumption in communication (mA)	300
IP rating	IP30
Operating temperature (°C)	-5 / +40
Video encoding	PAL/NTSC
Terminals	L L CFP1 CFP2
Wi-Fi connection	Wi-Fi port Wi-Fi 802.11b/g/n 2.4 GHz




Building Solution.





- | CODE | DESCRIPTION | QTY. |
|--------------|---|------|
| 4893M | QUADRA ENTRANCE PANEL W/ BUTTONS. 2 WIRES | 1 |
| 6741W | MINI HANDSFREE WIFI MONITOR, SBTOP | 1 |
| 1209 | 2-WIRE VIDEO KIT POWER SUPPLY UNIT | 1 |
| 1216 | VIDEO RISER TERMINATION FOR SIMPLEBUS | 1 |



cod.
2G32000739



www.comelitgroup.com

